

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An image recording apparatus comprising:

an image recording unit which records an image on an image recording material;

a transporting unit which transports said image recording material whose shape has at a least one side in a predetermined transporting direction;

~~an image recording~~ a position detecting unit for said image recording material which detects a position of said image recording material in said at least one side along said predetermined transporting direction; and

an image recording position correcting unit which ~~corrects said~~ allows said image recording unit to correct an image recording position for said image recording material based on result of detection of said position of said image recording material in said at least one side by said ~~image recording~~ position detecting unit so that said image can be recorded correctly at a position to be recorded on said image recording material transported as it is by said transporting unit without correcting said detected position of said image recording material; and

wherein an image forming unit which forms a desired image is recorded on said image recording material at the corrected image recording position by said image recording unit.

2. (currently amended): An image recording apparatus according to claim 1, said ~~image recording~~ position detecting unit detecting an inclination with relative to said transporting direction of said ~~image recording~~ material during transporting from a plurality of portions along said side obtained using said image recording position detecting unit and said image recording position correcting unit correcting a present position of said image recording material depending on said inclination.

3. (original): An image recording apparatus according to claim 1, said position detecting unit having a laser length measuring unit.

4. (original): An image recording apparatus according to claim 1, said position detecting unit having a transmission-type detecting unit or a reflection-type optical detecting unit.

5. (original): An image recording apparatus according to claim 1, said position detecting unit having a potentiometer provided with a lever capable of rotating around a shaft.

6. (original): An image recording apparatus according to claim 1, said image recording material being a rectangular and/or flexible film.

7. (original): An image recording apparatus according to claim 1 being a thermal printer or a laser printer.

8. (currently amended): An image recording apparatus comprising:

an image recording unit which records an image on an image recording material;

a transporting unit which transports said image recording material whose shape has at least two sides being opposite in a predetermined transporting direction;

~~an image recording~~ a position detecting unit for said image forming material which is arranged at positions of said at least two sides along a said predetermined transporting direction, and which detects ~~an image~~ a size of said image recording material based on positions of said at least two sides along said predetermined transporting direction; and

an image recording position correcting unit which ~~corrects said~~ image recording position for said image recording material based on result of detection by said ~~image recording~~ position detecting unit; and

wherein an image forming unit which forms a predesired desired image is recorded on said image recording material at the corrected image recording position by said image recording unit.

9. (original): An image recording apparatus according to claim 8, said position detecting unit having a laser length measuring unit.

10. (original): An image recording apparatus according to claim 8, said position detecting unit having a transmission-type detecting unit or a reflection-type optical detecting unit.

11. (original): An image recording apparatus according to claim 8, said position detecting unit having a potentiometer provided with a lever capable of rotating around a shaft.

12. (original): An image recording apparatus according to claim 8, said image recording material being a rectangular and/or flexible film.

13. (original): An image recording apparatus according to claim 8 being a thermal printer or a laser printer.

14. (currently amended): An image recording apparatus comprising:
an image recording unit which records an image on an image recording material;
a transporting unit which transports said image recording material whose shape is rectangular in a predetermined transporting direction;

~~an image recording~~ a position detecting unit for said image recording material which detects an inclination of said image recording material based on positions of ~~said~~ at least two sides along said predetermined transporting direction; and

an image recording position correcting unit which ~~corrects said~~ allows said image recording unit to correct an image recording position for said image recording material based on result of detection of said inclination of said image recording material based on positions of said at least two sides by said image recording position detecting unit so that said image can be recorded correctly at a position to be recorded on said image recording material transported as it is by said transporting unit without correcting said detected inclination of said image recording material; and

wherein an image forming unit which forms a predesired desired image is recorded on said image recording material at the corrected image recording position by said image recording unit.

15. (original): An image recording apparatus according to claim 14, said position detecting unit having a laser length measuring unit.

16. (original): An image recording apparatus according to claim 14, said position detecting unit having a transmission-type detecting unit or a reflection-type optical detecting unit.

17. (original): An image recording apparatus according to claim 14, said position detecting unit having a potentiometer provided with a lever capable of rotating around a shaft.

AMENDMENT UNDER 37 C.F.R. § 1.111
U.S. Appln. No. 09/989,376
Attorney Docket No.: Q66493

18. (original): An image recording apparatus according to claim 14, said image recording material being a flexible film.

19. (original): An image recording apparatus according to claim 14 being a thermal printer or a laser printer.